

Thinners for Solvent Inks

Code A31890900

PRODUCT DESCRIPTION

These thinners are compatible with solvent based inks.

APPLICATION FIELDS

These thinners may be used when it is necessary to reduce viscosity of solvent based inks, before printing.

APPLICATION PROCESS

Inks	HI-GLOSS	A31135000
	CARBOGLOSS	A31126000
	VINILFLAT	A31138000
	METALINK	A31194000
	THERMOPLUS	A31149000
	ACRILUX	A31148000
	TEXYLON	A31158000
	ONDAFLUTE	A31185000
	EPOXSER	A31192000
SERIPOXY	A31190000	
Amount	According to the type of ink used and the printing requirements	
Storage	See the product range table	
Package	Away from direct sunlight and heat sources	
Safety data sheet	Available upon request	

GENERAL FEATURES

- Very wide product range
- Wide application field
- Excellent solvent power
- Ideal to reduce the viscosity

PREPARATION

Put the selected thinner into the ink to be used, and mix well, before printing.

TECHNICAL FEATURES

The products range from very fast to extremely slow thinners.

The thinner quantity to be added is in accordance with its evaporation and the available printing technology.

SPECIAL RECOMMENDATIONS

- Always test the characteristics of the product, before starting production.
- The above information is the result of previous knowledge and experience; it is neither a guarantee nor an assurance.
- Choose the most indicated thinner, according to the ink.

PRODUCT RANGE

CODE	PRODUCT	EVAPORATION	PACKAGE	HI-GLOSS	CARBOGLOSS	VINILFLAT	THERMOPLUS	METALINK	ACRILUX	TEXYLON	POSTERFAST	ONDAFLUTE	SERIPOXY	EPOXSER
A3189092100-	THINNER 90.921 SPRAY	Very quick	1 l e 5 l	X	X	X	X	X					X	X
A3189090400-	THINNER 90.904 FAST	Quick	1 l e 5 l	X	X	X	X	X		X	X	X	X	X
A3189092500-	THINNER 90.925 ODOURLESS FAST	Quick	1 l e 5 l								X	X		
A3189092700-*	THINNER 90.927	Medium	1 l e 5 l	X	X	X		X		X				
A3189091300-	THINNER 90.913 ODOURLESS	Medium	1 l e 5 l	X	X	X	X	X	X					
A3189091700-*	THINNER 90.917 ODOURLESS	Medium	1 l e 5 l	X	X	X	X	X			X	X		
A31890922NF00-	THINNER 90.922 ECO	Medium	1 l e 5 l										X	X
A3189092400-	THINNER 90.924	Medium	1 l e 5 l	X	X	X	X	X	X	X	X	X		
A3189099200-	THINNER 90.992	Medium	1 l e 5 l	X	X	X	X	X	X				X	X
A3189091800-	THINNER 90.918 SLOW	Slow	1 l e 5 l	X	X	X	X	X	X	X	X	X	X	X
A3189093100-	THINNER 90.931 EXTRA SLOW ODOURLESS	Very slow	1 l e 5 l										X	X
A31890923001	THINNER 90.923 RETARDER ODOURLESS	Very slow	1 l	X	X	X	X	X	X	X	X	X	X	X
A3189099800-	RETARDER 90.998	Very slow	1 l e 5 l										X	X
A31890999005**	UNIVERSAL RETARDER 90.999	Extra slow	5 l	X	X	X	X	X	X	X	X	X	X	X

* Contains PAH, acronym for Polycyclic Aromatic Hydrocarbons

** To be used in a 1:1 mixture with THINNER 90.918 SLOW

IMPORTANT INFORMATION NOTE

The information given in this technical sheet is not intended to be exhaustive and any person, using the product for any purpose other than that specifically recommended in this sheet without first obtaining written confirmation from us to the suitability of the product for the intended purpose, does so at his own risk.

While we endeavour to ensure that all advice we give about the product is correct, we have no control over either the quality or condition of the substrate or the many factors affecting the use and application of the product.

Therefore, unless we specifically agree in writing to do so, we do not accept any liability whatsoever or howsoever arising for the performance of the product or for any loss or damage arising out of the use of the product.

The information contained in this sheet is liable to modification from time to time in the light of experience and our policy of continuous product development.

ATTENTION

The data sheet does not replace the Safety Data Sheet nor the specific Declaration of Conformity, such documents may be requested from our SHEQ (Product Security Office), at safety@eptains.com

The data sheet shall in no case exempt the printer, who shall be solely responsible for complying with the standards, specifications and necessary certifications.